

What is claimed is:

1. A method for distributing audio data with at least one text document over a network, the audio data located on at least one server, the method comprising,

receiving the audio data and a first identifier associated with the audio data source,

generating a second identifier for association with the audio data, and,

providing the second identifier for incorporation with the at least one text document.

2. A method according to claim 1, wherein receiving the audio data further includes receiving the audio data from at least one of a network, a computer network, and a telephone network.

3. A method according to claim 1, wherein receiving a first identifier includes receiving at least one of a personal identification code (PIN), a customer identification, a product identification, and a network address.

4. A method according to claim 1, wherein generating a second identifier further includes generating a media\_ID.

5. A method according to claim 1, wherein providing the second identifier for incorporation with the at least one text document further includes changing a database element accessed by the at least one text document.

6. A method according to claim 1, wherein providing the second identifier for incorporation with the at least one text document further includes providing an email including the second identifier.

7. A method according to claim 1, wherein providing the second identifier for incorporation with the at least one text document further includes generating a HTTP post to a server associated with the at least one text document.

8. A method according to claim 1, further including providing an interface to receive audio data by at least one of a network microphone and a telephone.

9. A method according to claim 1, further including providing a dynamically generated PIN to a source of the audio data.

10. A method according to claim 1, further including providing a Java applet to be referenced by the at least one text document,

the Java applet including instructions based on Java Native Interface.

11. A method according to claim 1, further including providing a Java applet to be referenced by the at least one text document, the Java applet including instructions for receiving the audio data using a microphone.

12. A method according to claim 1, further including providing a Java applet to be referenced by the at least one text document, the Java applet including instructions for controlling the audio data.

13. A method according to claim 1, further including providing a Java applet to be referenced by the at least one text document, the Java applet to include instructions to transfer the audio data to the at least one server.

14. A method according to claim 1, further including providing a Java applet to be referenced by the at least one text document, the Java applet to include instructions to at least one of record, play, pause, save, and stop the audio data.

15. A method according to claim 1, further including providing a Java applet to be referenced by the at least one text document, the at least one text document further including parameters to customize the Java applet.

16. A method according to claim 1, wherein receiving a first identifier includes identifying the first identifier as a static PIN or a dynamic PIN.

17. A method according to claim 1, wherein generating a second identifier for association with the audio data includes generating a second identifier based on the first identifier.

18. A method according to claim 1, wherein generating a second identifier for association with the audio data includes recognizing the second identifier as the first identifier.

19. A method according to claim 1, wherein distributing audio data with at least one text document includes distributing audio data with at least one HTML document.

20. A method according to claim 1, further including providing a HTML applet tag in the at least one text document.

21. A method according to claim 1, further including receiving a duration of the audio data.

22. A method according to claim 1, further including, receiving a request to post audio data, and, dynamically generating a PIN based on the request.

23. A method according to claim 1, further including, receiving a request to post audio data, and, providing at least one of a telephone number and a dynamically generated PIN based on the request.

24. A system for associating at least one text document with audio data, the system comprising,  
at least one server connected to a network to receive the audio data from the network,  
a first identifier associated with the audio data and received with the audio data, and,  
a second identifier associated with the audio data and at least one text document on the network.

25. A system according to claim 24, wherein the network further includes at least one of a computer network and a telephone network.

26. A system according to claim 24, wherein the second identifier is the same as the first identifier.

27. A system according to claim 24, wherein the first identifier includes at least one of a PIN, a customer identification, a product identification, and a network address.

28. A system according to claim 24, further including at least one database in communication with the at least one server, the at least one database to include the audio data.

29. A system according to claim 28, wherein the at least one database further includes at least one of the first identifier and the second identifier.

30. A system according to claim 24, wherein the at least one text document includes a HTML document.

31. A system according to claim 24, further including an email to distribute the second identifier based on the at least one text document.

32. A system according to claim 24, further including a HTTP post to distribute the second identifier based on the at least one text document.

33. A system according to claim 24, wherein the at least one server further includes a telephone server.

34. A system according to claim 24, wherein the server further includes at least one Java applet for reference by the at least one text document.

35. A system according to claim 24, wherein the at least one text document further includes at least one HTML tag.

36. A system according to claim 24, further including instructions to provide an interface to allow audio data reception via at least one of a telephone and a network microphone.

37. A system according to claim 24, wherein the first identifier includes at least one of a dynamically generated PIN and a static PIN.

38. A system according to claim 24, further including a Java applet including Java Native Interface instructions.

39. A system according to claim 24, further including a customizable applet for providing an audio player graphical user interface.

40. A system according to claim 24, wherein the second identifier includes a media\_ID.

41. A system according to claim 24, further wherein the at least one server further receives a duration of the audio data.

42. A method for associating audio data with at least one text document, the method comprising,  
    receiving the audio data from a network at a server  
        connected to the network,  
    receiving a first identifier at the server, the first  
        identifier associated with the audio data,  
    providing a second identifier for association with the audio  
        data, and,  
    providing the second identifier for association with the at  
        least one text file.



43. A method according to claim 42, wherein receiving the first identifier includes receiving at least one of a PIN, a customer ID, a product ID, and a network address.

44. A method according to claim 42, wherein receiving the audio data from a network includes receiving the audio data via at least one of a computer network and a telephone network.

45. A method according to claim 42, wherein providing the second identifier for association with the at least one text file includes changing a database element accessed by the text document.

46. A method according to claim 42, wherein providing the second identifier for association with the at least one text file includes providing an email including the second identifier.

47. A method according to claim 42, wherein providing the second identifier for association with the at least one text file includes generating a HTTP post to a server associated with the text document.

48. A method according to claim 42, further including providing an interface to receive audio data by at least one of a microphone and a telephone.

49. A method according to claim 42, wherein receiving a first identifier includes receiving at least one of a dynamically generated PIN and a static PIN.

50. A method according to claim 42, further including, receiving a request to post audio data, and, dynamically generating a PIN based on the request.

51. A method according to claim 42, further including, receiving a request to post audio data, and, providing at least one of a telephone number and a dynamically generated PIN based on the request.

52. A system for associating at least one text document with audio data, the system comprising,  
processor means connected to a network to receive the audio data from the network, to receive a first identifier associated with the audio data, and to provide a second identifier associated with the audio data and at least one text document on the network.

53. A system according to claim 52, wherein the processor means includes instructions for generating a HTML document.

54. A system according to claim 52, wherein the processor means includes instructions for providing a HTTP post to a server associated with the at least one text document.

55. A system according to claim 52, further including an email server in communication with the processor means.

56. A computer product according to claim 52, wherein the processor means includes instructions for providing a HTTP post to an email server.

57. A computer product for distributing audio data with at least one text document over a network, the audio data located on at least one server, the computer product comprising a processor with instructions for causing the processor to,

receive the audio data and a first identifier associated with the audio data source,

generate a second identifier for association with the audio data, and,

provide the second identifier for incorporation with the at least one text document.

58. A computer product according to claim 57, wherein instructions to receive the audio data further include instructions to receive the audio data from at least one of a network, a computer network, and a telephone network.

59. A computer product according to claim 57, wherein instructions to receive a first identifier include instructions to receive at least one of a personal identification code (PIN), a customer identification, a product identification, and a network address.

60. A computer product according to claim 57, wherein instructions to generate a second identifier further include instructions to generate a media\_ID.

61. A computer product according to claim 57, wherein instructions to provide the second identifier for incorporation with the at least one text document further include instructions to change a database element accessed by the at least one text document.

62. A computer product according to claim 57, wherein instructions to provide the second identifier for incorporation with the at least one text document further include instructions to provide an email including the second identifier.

63. A computer product according to claim 57, wherein instructions to provide the second identifier for incorporation with the at least one text document further include instructions to generate a HTTP post to a server associated with the at least one text document.

64. A computer product according to claim 57, further including instructions to provide an interface to receive audio data by at least one of a network microphone and a telephone.

65. A computer product according to claim 57, further including instructions to provide a dynamically generated PIN to a source of the audio data.

66. A computer product according to claim 57, further including instructions to provide a Java applet to be referenced by the at least one text document, the Java applet including instructions based on Java Native Interface.

67. A computer product according to claim 57, further including instructions to provide a Java applet to be referenced by the at least one text document, the Java applet including instructions for receiving the audio data using a microphone.

68. A computer product according to claim 57, further including instructions to provide a Java applet to be referenced by the at least one text document, the Java applet including instructions for controlling the audio data.

69. A computer product according to claim 57, further including instructions to provide a Java applet to be referenced by the at least one text document, the Java applet to include instructions to transfer the audio data to the at least one server.

70. A computer product according to claim 57, further including instructions to provide a Java applet to be referenced by the at least one text document, the Java applet to include instructions to at least one of record, play, pause, save, and stop the audio data.

71. A computer product according to claim 57, further including instructions to provide a Java applet to be referenced by the at

least one text document, the at least one text document further including parameters to customize the Java applet.

72. A computer product according to claim 57, wherein instructions to receive a first identifier include instructions to identify the first identifier as a static PIN or a dynamic PIN.

73. A computer product according to claim 57, wherein instructions to generate a second identifier for association with the audio data include instructions to generate a second identifier based on the first identifier.

74. A computer product according to claim 57, wherein instructions to generate a second identifier for association with the audio data include instructions to recognize the second identifier as the first identifier.

75. A computer product according to claim 57, wherein instructions to distribute audio data with at least one text document include instructions to distribute audio data with at least one HTML document.

76. A computer product according to claim 57, further including instructions to provide a HTML applet tag in the at least one text document.

77. A computer product according to claim 57, further including instructions to receive a duration of the audio data.

78. A computer product according to claim 57, further including instructions to,

receiving a request to post audio data, and,  
dynamically generating a PIN based on the request.

79. A computer product according to claim 57, further including instructions to,

receiving a request to post audio data, and,  
providing at least one of a telephone number and a  
dynamically generated PIN based on the request.